

CALDER

UNITED STATES DEPARTMENT OF COMMERCE Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS

Washington, D.C. 20231

FIRST NAMED INVENTOR

B* P.2167/SUN1P1

EXAMINER

70622

RULLOCK TR.L.

ART UNIT PAPER NUMBER

LM02/0622 HICKMAN BEYER & WEAVER PO BOX 61059 PALO ALTO CA 94306

FILING DATE

04/01/97

APPLICATION NO.

08/831,845

2755

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

08/22/00

Office Action Summary

Application No. 08/831,845

Applicant(s)

CALDER ET AL.

Examiner

Lewis Bullock, Jr.

Group Art Unit 2755



X Responsive to communication(s) filed on Apr 5, 2000		, , , , , , , , , , , , , , , , , , ,
☐ This action is FINAL .		
☐ Since this application is in condition for allowance except for f in accordance with the practice under Ex parte Quayle, 1935	_	
A shortened statutory period for response to this action is set to a is longer, from the mailing date of this communication. Failure to application to become abandoned. (35 U.S.C. § 133). Extension 37 CFR 1.136(a).	respond within the per	riod for response will cause the
Disposition of Claims		
	is/aı	re pending in the application.
Of the above, claim(s)	is/are	withdrawn from consideration.
Claim(s)		_ is/are allowed.
	e e	is/are rejected.
Claim(s)		
☐ Claims are subject to restriction or election requirement.		
Application Papers		
☐ See the attached Notice of Draftsperson's Patent Drawing	Review, PTO-948.	
☐ The drawing(s) filed on is/are objected	d to by the Examiner.	
☐ The proposed drawing correction, filed on	isapproved	☐disapproved.
\square The specification is objected to by the Examiner.		
☐ The oath or declaration is objected to by the Examiner.		
Priority under 35 U.S.C. § 119		
☐ Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d).		
☐ All ☐ Some* ☐ None of the CERTIFIED copies of the priority documents have been		
☐ received.		
received in Application No. (Series Code/Serial Number)		
received in this national stage application from the Ir	nternational Bureau (PC	T Rule 17.2(a)).
*Certified copies not received:		
☐ Acknowledgement is made of a claim for domestic priority	under 35 U.S.C. 9 118	9(e).
Attachment(s)		
□ Notice of References Cited, PTO-892	(-)	
☐ Information Disclosure Statement(s), PTO-1449, Paper No((S).	
☐ Interview Summary, PTO-413☐ Notice of Draftsperson's Patent Drawing Review, PTO-948	.	
☐ Notice of Informal Patent Application, PTO-152	•	
<u> </u>		
SEE OFFICE ACTION ON TH	1E FULLUWING PAGES	•

Art Unit: 2755

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. Claims 1 and 23 are rejected under 35 U.S.C. 112, first paragraph, as containing subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Applicant has now claimed the mapping mechanism being independent from the data handler mechanism. The examiner finds disclosure of applications being independent from the command objects (Specification, pg. 7, lines 21-28) which is also supported in Skeen (Col. 18, lines 20-27), however the examiner cannot find any disclosure of "the mapping mechanism being independent from the data handler mechanism" anywhere in the specification.

2. Claims 9, 16, 24, 25, and 26 are rejected under 35 U.S.C. 112, first paragraph, as containing subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Applicant has now claimed the mapping electronism as not integral to the application and being maintained separately from the interface. The examiner finds disclosure of applications being independent from the command objects (Specification, pg. 7, lines 21-28) which is also supported in Skeen (Col. 18, lines 20-27), however the examiner cannot find any disclosure of "the mapping mechanism is not integral to

Art Unit: 2755

the application" or "the mapping mechanism being separately maintained from the interface" anywhere in the specification.

- 3. Claims 1 and 23 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Applicant has claimed that the mapping mechanism is independent from the data handler mechanism. The term, "independent", has numerous meanings and is not supported to a defined meaning by the specification.
- 4. Claims 9, 16, and 25 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Applicant has claimed that the mapping mechanism and the data handler mechanism are not integral, however, it is also claimed that both are in communication with each other. It is unclear as to what applicant's definition is of "not integral".

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person

Art Unit: 2755

having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

6. Claims 1-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over "The Java Language Environment" by Sun in view of Skeen (US 5,187,787).

As to claim 1, Sun teaches a framework for associating data (object) with a command object (Java code to support object / compression algorithm), the command object being arranged to operate on the data, wherein the data is associated with an application (browser), comprising: a data retriever mechanism (browser) being arranged to obtain the data (object); and a mapping mechanism (browser) being arranged to obtain the command object (Java code to support object / new compression algorithm), wherein the command object is obtained by the mapping mechanism based substantially on the data (pg. 77-79, "HotJava can dynamically link the code from the host that has the image allowing it to display the new format. So, if someone invents a new compression algorithm, the inventor just has to make sure that a copy of its Java code is installed on the server that contains the images they want to publish..."; "Rather than having built-in protocol handlers, HotJava uses the protocol name to link in the appropriate handler as required, allowing new protocols to be incorporated dynamically."). It would be obvious that the downloaded object is mapped to the corresponding Java code or compression algorithm in order to allow some action to be performed on the object. However, Sun does not explicitly teach a data handler mechanism which is in communication with the application, the data retriever mechanism, or the mapping mechanism.

Art Unit: 2755

Skeen teaches a data handler mechanism (communication component / communication daemon) arranged to interface with the application (application 18 / application 16), the data retriever mechanism (directory services component retrieves service records / class manager), and the mapping mechanism (subject mapper / data-exchange component / forms manager module) (Col. 8, lines 47-60; Col. 16, line 62-Col. 18, line 7; Col. 18, line 20-Col. 20, line 35). It would be obvious that the since the service discipline (command object) examines the service records (data) passed to it and determines the location of the service with which communications are to be established (Col. 19, lines 58-65), it therefore binds the service record with the service discipline. It would also be obvious that since the class manager retrieves the address of the class instance and the data exchange component converts data objects including their headers from one form to another, the stored data is therefore bound and mapped to be understood by the requesting application. Therefore, it would be obvious to combine the teachings of Sun with the teachings of Skeen in order to free applications from unnecessary information and facilitating modularization and flexibility (Col. 18, lines 20-47).

As to claim 9, Sun teaches a method for associating data (object) with a command object [Java code to support object / compression algorithm) in response to a request from an application (user / browser) by returning a command object associated with the data to the application (pg. 77-79, "HotJava can dynamically link the code from the host that has the image allowing it to display the new format. So, if someone invents a new compression algorithm, the

Art Unit: 2755

inventor just has to make sure that a copy of its Java code is installed on the server that contains the images they want to publish..."; "Rather than having built-in protocol handlers, HotJava uses the protocol name to link in the appropriate handler as required, allowing new protocols to be incorporated dynamically."). It would be obvious that the downloaded object is mapped to the corresponding Java code or compression algorithm in order to allow some action to be performed on the object. However, Sun does not teach the accessing steps, or the obtaining step and the binding steps performed in an interface.

Skeen teaches the steps of accessing the data (service records / address) through an interface (communication component / communication daemon) in response to the request from the application (subscribe call / Get_Field calls) (Col. 18, lines 48-51; Col. 16, line 62-Col. 17, line 58), the interface being independent from the application and in communication with the application, wherein the request from the application is processed by the interface (subject based addressing / data distribution decoupling); accessing a mapping mechanism (service discipline / subject mapper; data-exchange component; forms-manager module) which is in communication with the interface, the mapping mechanism being independent from the application (within communication component), the mapping mechanism being arranged to locate a command object (service discipline; convert function) that is appropriate for the data (service record; data object), wherein the mapping mechanism is accessed by the interface (Col. 19, lines 47-65; Col. 8, line 47-Col. 9, line 12); and obtaining the command object that is appropriate for the data (subject mapper invokes the service discipline of that service; converting data objects; Get-data call after

Art Unit: 2755

receiving field address), wherein the mapping mechanism obtains the command object and passes the obtained command object to the interface (service discipline in interface; converting operation performed in interface) (Col. 13, line 47-Col. 14, line 48). It would be obvious that the since the service discipline (command object) examines the service records (data) passed to it and determines the location of the service with which communications are to be established (Col. 19, lines 58-65), it therefore binds the service record with the service discipline. It would also be obvious that a service discipline (command object) can be returned to the application if there does not exist a subject mapper (Col. 20, lines 48-63). Refer to claim 1 for the motivation to combine.

As to claim 23, refer to claim 1 for rejection. However, claim 23 also details that the data handler mechanism interfaces with a plurality of applications and is independent from the plurality of applications so that data and a command object is obtained for a selected application. Skeen teaches the data handler mechanism (common communication daemon) interfaces with a plurality of applications (application 16 and application 18) and is independent from the plurality of applications so that data and a command object (data) is obtained for a selected application (Col. 6, lines 53-55; Col. 21, lines 43-50; Col. 22, lines 6-20; Col. 27, lines 7-16). Refer to claim 1 for the motivation to combine.

As to claim 2, Skeen teaches data comprise of a stream of bytes (Col. 13, lines 25-31).

Application/Control Number: 08/831,845

Art Unit: 2755

As to claim 3, Skeen teaches a data content handler mechanism (data-exchange component) being arranged to convert the data into a data object (data objects / forms) (Col. 8, lines 47-60).

As to claim 4, Sun teaches the data object (object) is created using the Java programming language and the command object is a Java command object (Java code to support object) (pg. 77-78).

As to claim 5, It would be obvious that the data would comprise of text or images.

As to claim 6, Skeen teaches the data handler (interface) is arranged to receive a request from the application (subscribe request; Get_Field request; Get_Data request) (Col. 18, lines 48-51; Col. 17, line 30-Col. 18, line 7). It would be obvious that the since the service discipline (command object) examines the service records (data) passed to it and determines the location of the service with which communications are to be established (Col. 19, lines 58-65), it therefore binds the service record with the service discipline. It would also be obvious that a service discipline (command object) can be returned to the application if there does not exist a subject mapper (Col. 20, lines 48-63) otherwise the address can be passed through the call back routine. Sun also teaches the command object (Java code to support object) is returned to the application (browser / user) (pg. 78).

Page 9

Application/Control Number: 08/831,845

Art Unit: 2755

As to claim 7, Skeen teaches a data source mechanism (server / tables) arranged to obtain stream of bytes (Col. 20, lines 9-12; Col. 17, lines 12-14; Col. 14, lines 38-48) and a data content handler mechanism (data-exchange component) arranged to convert the stream of bytes (data) into a data object (data object /forms), the data source mechanism being in communication with the data content handler mechanism (via the interface) (Col. 8, lines 47-60).

As to claim 8, It would be obvious that the mapping mechanism (service mapper) would have a look-up table in order to determine which service discipline to invoke (Col. 19, lines 58-65).

As to claim 10, Skeen teaches the steps of: passing a stream of bytes (information) to a data content handler mechanism (data-exchange component) arranged to create a data object (data object / forms) from the stream of bytes (data) (Col. 8, lines 47-60). It would be obvious that the data object is passed in the interface since the stream is converted in the interface.

As to claim 11, Sun teaches the data object (object) is created using the Java programming language, and the command object (Java code to support object) is a Java command object (pg. 77-78).

Page 10

Application/Control Number: 08/831,845

Art Unit: 2755

As to claim 12, Skeen teaches accessing a data retriever (directory services component etrieves service records / server / data-exchange component) which is arranged to obtain the data (service records / information / converted message) (Col. 18, line 20-Col. 20, line 35; Col. 13, lines 50-60). It would be obvious that the data could be a stream of bytes.

As to claim 13, Skeen teaches operating on the data using the command object (service discipline; conversion program) (set up communication / get information / convert data) (Col. 19, lines 58-65; Col. 20, lines 20-35; Col. 13, line 58-Col. 15, line 55).

As to claim 14, Sun teaches the command object (Java code to support object) that is appropriate for the data (object) is selected from a set of command objects associated with a command list (federation of pieces) (pg. 76, 78-79, "HotJava is the coordinator of a federation of pieces, each with individual responsibilities."; "HotJava Browser is given a reference to an object. If the handler for that protocol is already loaded, it will be used. If not, the HotJava Browser will search first the local system and then the system that is the target of the URL."). It would be obvious that Java code to support various objects would be kept in a list. It would also be obvious that the teachings of Sun could be implemented in the interface of Skeen in order to hide communication details from the user.

Application/Control Number: 08/831,845

Art Unit: 2755

As to claim 15, Skeen teaches the step of receiving a request for a command list from the application (subscriber request), the request for the command list being received by the interface (subject mapper within communication component), wherein the interface performs the steps of: obtaining a type (fields) associated with the data (service records); obtaining the command list through the mapping (all service disciplines that provided desired service); and returning the command list to the application (via call back routine) (Col. 18, line 41-Col. 20, line 63).

As to claim 21, Skeen teaches the command object (service discipline; conversion program) is obtained by the mapping mechanism (service mapper; forms manager) based substantially on the data (service record) without an external input from a user of the application (Col. 18, line 66- Col. 19, line 46; Col. 13, line 58-Col. 15, line 55). It would be obvious that since the service mapper obtains the service discipline from the service records obtained that the user had not input in this process.

As to claim 22, Skeen teaches the command object (service discipline; conversion program) is obtained by the mapping mechanism (service mapper; forms manager) based substantially on the data (service record; data) without directly involving the application (Col. 18, line 66- Col. 19, line 46; Col. 13, line 58-Col. 15, line 55). It would be obvious that since the service mapper obtains the service discipline from the service records obtained that the application had not involvement in this process.

Art Unit: 2755

As to claims 16-20, reference is made to a computer program product which corresponds to the method of claims 9-11, 13, and 14 and is therefore met by the rejection of claims 9-11, 13, and 14 above.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lewis A. Bullock, Jr. whose telephone number is (703) 305-0439.

ALVIN E. OBERLEY SUPERVISORY PATENT EXAMINER GROUP 2700

lab

3

June 7, 2000